

uPVC SYSTEMS OVERVIEW




EDELWEISS
PREMIUM
SERIES

VILLA
PREMIUM
SERIES

MONORAIL
SERIES

CONTOUR
LUXURY
SERIES



LUXURY SERIES

www.dimex.in
www.dimex.de

**FACTS
are
FACTS**



With this instrument you can
immediately check the credibility

uPVC

German WINDOW & DOOR PROFILES

DITEX[®] BRAND

A Trusted Name

Established for over 10 Years in INDIA

SPECIAL FEATURES:-

- GERMAN ENGINEERING
- PREMIUM FORMULATION WITH 8 PARTS OF TITANIUM DIOXIDE
- OUTER WALL THICKNESS AS PER 'B' CATEGORY OF 'IFT' ROSENHEIM, GERMANY (2.25MM. - 2.6MM.)
- LEAD FREE (CALCIUM ZINC FORMULATION)

Now...



EDELWEISS PREMIUM SERIES

- A UNIQUE DESIGN OF uPVC PROFILES
- Internationally Popular for over 15 Years

8 Types of Different Sliding Systems

- 60 mm. - 2 Track
- 74 mm. - Mono Rail
- 74.5 mm.- 2 Track
- 88 mm.
- 112 mm. - 3 Track
- 135 mm. - 3 Track
- 174 mm. Lift & Slide
- 4 Track Sliding System



2X CASEMENT SYSTEMS

60 mm. 3 chambers

70 mm. 5 chambers

The V-groove between the glazing bead and window sash gives a good appearance and is convenient for glass installation or disassembly.

20mm. groove secures the glass installation and provides a good heat preservation and noise insulation.

The 2.5mm. thickness three-cavity sash provides the optimized heat and energy preservation effect makes a perfect window.

The High UV formulation assures a smooth surface in nature luster and best anti-weathering effect.

The Hardware notches imported from Europe are especially suitable for various hardware fitting sourced from abroad; the location notch for DIMEX friction hinges is unparalleled.

The streamlined Profile gives a Simple but graceful appearance.

The double-drainage assures that panel can be opened either inward or opened. An exclusive DIMEX design.


The 2.25mm. – 2.6mm. outer wall thickness three cavity profiles provides the optimized heat preservation and noise insulation effect. It beats the competition.

1.5mm. High quality galvanized steel improves the profiles strength.



ADVANCED DIMEX TECHNOLOGY





**Casement Inward Opening
Windows Section**

EDDELWEISS




**Casement Outward Opening
Windows Section**

EDDELWEISS



**Casement Outward Opening
Door Section**

EDDELWEISS



**Casement Inward Opening
Door Section**

EDDELWEISS




**Edelweiss 88 Sliding Window Series
Section**

SEMI ED
DELWEISS



2 Track Sliding Windows Section

SEMI-EDGES




**3 Track Sliding Door Section
with or without Aluminum
Low Threshold**

SEMI-ED



**3 Track Sliding Door Section
Regular Threshold**

SEMI-EDGES



**Double Rebate (Double PATAM)
Villa Windows Section**

VILLA SERIES

Coming Soon!!!



**Monorail Outer Frame Section
Special Series for Large Projects**

MONORAIL



NEW

**Lift & Sliding
Systems**

LUXURY
CONTOUR **SERIES**



**135 mm. Three Track Sliding Series
with Extra Large Glass.**

Coming Soon!!!
4 Track Sliding Series

LUXURY
CONTOUR SERIES

NEW SKZ

TESTING GERMAN CERTIFICATE

NEW CIPET

TESTING CERTIFICATE

NEW BSI

TESTING CERTIFICATE

Estd. 1933



German uPVC Windows & Doors System

Quality Certificate

**25 Years Warranty for Laminated Profiles
10 Years Warranty for White Profiles.**

**DIMEX hereby warranty its supplied White Profiles
for a period of 10 years, against all manufacturing and material defects.**

- DIMEX Profiles are anti UV & it Contains upto 8 parts (6.2%) Titanium Dioxide.
- DIMEX Profiles are tested for RHOS, are Lead Free. - DIMEX Profiles Outer Wall Thickness is up to 2.5mm.
- It belongs to B category Of German IFT Classification as recommended for Hot Countries.
- DIMEX Renolit Laminated profiles are warranted for 25 years/ Renolit original warranty shall be transferred to the customers.



Signature

+91-9910760737
www.dimex.de
www.dimex.in



DIN EN ISO 9001

* All warranties are subject to the guidelines.
Is Valid only through DIMEX Authorized Dealers

Estd. 1933



No.....

German uPVC Windows & Doors System

Authorization

we hereby certify that

M/s GT EUROGROOVE PRIVATE LIMITED

are DIMEX authorized Fabricator.
They have pledged to deliver
uPVC Windows & Doors made out of
DIMEX Systems, following strictly the
German norms of Fabrication & Installation.




www.dimex.de
www.dimex.in



DIN EN ISO 9001

**FACTS
are
FACTS**



**With this instrument you can
immediately check the credibility**

**An Established
LEADERSHIP**

Estd. 1933
dimex®
German uPVC Window & Doors Systems

**From Germany
Since 1933**

QUICK & EASY BRAND COMPARISON	QUICK & EASY QUALITY COMPARISON	QUICK & EASY PRICE COMPARISON	QUICK & EASY TECHNOLOGY COMPARISON	QUICK & EASY AVAILABILITY COMPARISON
Brand was Registered in 1933 in Germany. uPVC window profiles Production Started in 1979 at: Daimlar Str 21, 72147, Nehren, Germany Dimex registered its brand in India for Indian Operations in 2007. DIMEX INDIA Opp. Metro Pillar No. 183, MG Road, New Delhi-110047 www. dimex.in	DIMEX abides German IFT norms & is certified by SKZ of Germany Is also certified by CIPET Its Profiles for India are 'B' category as per IFTG which is 2.25 to 2.5 mm outer wall thickness. it's PREMIUM Quality High UV formulation, contains 8 Parts of Titanium Dioxide. Dimex was the first company in INDIA to have 8000 hrs. XENON Testing on its Profiles.	Price Lists can be obtained on request.	DIMEX leads the industry with 7 Sliding Systems. 60 mm., 74 mm., 88 mm., 107 mm., 112 mm., 135 mm., + tilt & sliding System & Lift & sliding System. Latest is the fixed & slide 74 mm. NEW Mono Rail System, with Reinforcement and integrated with the MESH This is the most economic Window & Doors sliding system in the market today. In Casement DIMEX Offers 2 Systems 60mm. & 70mm. Luxury Series. DIMEX also offers Low Threshold, Georgian Bars & Concealed 3D Hinges. Also against the wind pressure DIMEX has added Mullion in Mosquito SASH & Hurricane Bars.	DIMEX presently has 3 delivery outlets. - Hyderabad - Delhi - Chennai - Bangalore & Mumbai are being considered

We also supply Laminated Profiles in RENOLIT COLORS

- In Golden Oak
- Walnut
- Wenge
- Mahogany and others



Lamination on Coloured Base Profile


for Wood Lovers



Lamination on White Base Profiles



For
Wood Lovers



25 Years
Lamination
Guaranteed
as per Renolit
of Germany



